

**FLEX-Elektrowerkzeuge GmbH**

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

**FLEX**

## Saws

### SKE 2902 VV

**Order no. 331.678**

Technical attributes	SKE 2902 VV
Orbit rate, no load	0-2600 opm
Orbit	28 mm
Power input	1200 watt
Power output	670 watt
Weight	4 kg

Standard equipment	
1 assortment of saw blades 198.757	
1 plastic carry case	1 piece

**1200 watt reciprocating saw with orbital cutting action**

- VV electronic control: with constant stroke control, soft start with continuous speed control trigger
- Durable 1200 watt high-power motor
- Orbital stroke: switch-activated, especially for fast sawing through wood
- Soft-grip handle: eliminates most of the vibration and ensures non-slip handling
- Quick-Change: Exchange saw blades quickly without tools with the stainless steel saw blade tool holder
- Saw blade reverses to allow over-head sawing
- Tilt-adjustable saw support for accurate application to workpiece, with 4-step tool-free depth adjustment

**FLEX-Elektrowerkzeuge GmbH**

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

**FLEX**

## Saws

### Accessories

#### Sabre saw blades for metal and sheet material



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	100	5	200.700



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 3.0 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
14	150	5	200.727



All reciprocating saw blades with common saw blade mount. Universal use for steel, V2A and hard metals, 1.15 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
18	150	5	200.735



All reciprocating saw blades with common saw blade mount. Hard metals, 1.15 mm and thinner, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
24	150	5	200.743



All reciprocating saw blades with common saw blade mount. Long metal blade 3 - 10 mm, bi-metal. For steel hollow section pipes, V2A, plastics pipes (also for pallet repair).

**FLEX-Elektrowerkzeuge GmbH**

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

**FLEX**

## Saws

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

10	280	5	201.928
----	-----	---	---------



All reciprocating saw blades with common saw blade mount. Hard metals, 3.0 mm and thicker (also for palette repair), bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

14	200	5	217.190
----	-----	---	---------



All reciprocating saw blades with common saw blade mount. Steel, V2A and hard metals, 1.50 mm and more, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

18	200	5	217.751
----	-----	---	---------



All reciprocating saw blades with common saw blade mount. Trapezoidal sheet, thickness 1.25 mm and less.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

32	200	5	222.291
----	-----	---	---------

**FLEX-Elektrowerkzeuge GmbH**

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

**FLEX**

## Saws

**Sabre saw blade for wood, plaster, porous concrete and other applications**

All wood types.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
4	150	5	200.751




Wood with nails, bi-metal.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
10	150	5	200.778



Wooden board (coarse/standard cuts).

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	300	5	201.936



Wooden board (coarse/standard cuts).

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
6	150	5	200.786



Coarse rapid cuts in wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
3	225	5	250.054

**FLEX-Elektrowerkzeuge GmbH**

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

**FLEX**

## Saws



Coarse rapid cuts in wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

3	300	5	250.055
---	-----	---	---------



Coarse rapid cuts in green-wood.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

3	220	5	250.056
---	-----	---	---------



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

6	150	1	202.061
---	-----	---	---------



Plaster, porous concrete, eternit, non-ferrous metal, glass-fiber reinforced plastic, carbide tipped.

Teeth per inch:	Length in mm:	QTY/PKG:	Order no.
--------------------	------------------	----------	-----------

3	300	1	206.210
---	-----	---	---------

**FLEX-Elektrowerkzeuge GmbH**

Bahnhofstrasse 15

71711 Steinheim

Phone +49 7144 828-0

Fax +49 7144 25899

info@flex-tools.com

www.flex-tools.com

**FLEX**

## Saws

**Sabre blade assortment for plastic/wood/metal**

---



Consisting of: 1 Plastic saw blade, 150 mm: 200.735; 1 Wood saw blade, 150 mm: 200.786; 1 Metal saw blade, 150 mm: 200.778, all bi-metal.

Length in mm:	QTY/PKG:	Order no.
------------------	----------	-----------

---

150	3	198.757
-----	---	---------