

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Angle grinders

L 3206 CD

Order no. 322.717



Red Bear 2500 watt angle grinder, 230 mm

- Highly efficient and resilient motor for more power output
- Multi-grip system with vibration cushioning: front Soft-Vib hand grip can be adjusted in steps up to 180°. With safety locking
- For right and left handed cutting, rear handgrip rotates 2 x 90°
- Damping element separates rear hand grip from motor, bringing significant reduction in vibration transmission
- Electrical surge protection: for a soft start without power overloading
- Gearbox: particularly flat and robust aluminium die-cast construction
- Tool-free adjustment of safety guard
- Spindle lock
- Machine can also be supplied with deadman's switch. CDT 3206 Order No. 367.524
- This machine is also available in 110 V

Technical attributes	L 3206 CD
Max. disc diameter	230 mm
No load speed	6500 rpm
Power input	2500 watt
Power output	1700 watt
Tool fixture	M 14
Weight	6,2 kg

Standard equipment	
1 guard 230 Ø	265.179
1 SoftVib handle	325.376
1 pin wrench	100.110
1 clamping flange	
1 clamping nut M14	

Accessories

230 mm cutting guard



For push and pull cuts with vacuum set and adjustable support, extraction nozzle with 32 mm outer Ø, collar Ø 62 mm, cut depth 65 mm max.

Dimensions QTY/PKG: Order no.
in mm:

230 Ø 1 252.963

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Angle grinders

SDS-Clc quick-clamp nut



For tool-less disc change suitable for discs from Ø 150-230 mm.

QTY/PKG:	Order no.
----------	-----------

1	253.049
---	---------

SoftVib side handle



SoftVib handle with vibration cushioning, significantly reducing the vibration transmitted to hands and arms and reducing the risk of vibration-related injury to the operator.

Type:	QTY/PKG:	Order no.
-------	----------	-----------

M 8	1	325.376
-----	---	---------

Suction hose



32 mm internal Ø, with snap coupling, 4.0 m long, temperature resistant to 70 °C, incl. coupling bush for vacuum cleaner, filter-free switching module with snap coupling, vacuum hose extension, 32/28 mm adapter and universal adapter for S 36 and S 36 M.

QTY/PKG:	Order no.
----------	-----------

1	297.011
---	---------

Diamantjet - diamond cutting disc, standard, concrete



Fast, long-life universal cutting disc, suitable for concrete and stone

Dimensions	QTY/PKG:	Order no.
in mm:		

230 Ø x 22,2	1	349.054
--------------	---	---------

FLEX-Elektrowerkzeuge GmbH

Bahnhofstrasse 15
71711 Steinheim
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Angle grinders

Diamantjet - diamond cutting disc, super premium, concrete



Extremely fast, long-life precision cutting disc, suitable for cutting all construction materials, including concrete, granite and natural stone. Low-noise and transparent.

Dimensions	QTY/PKG:	Order no.
------------	----------	-----------

in mm:

230 Ø x 22,2	1	349.003
--------------	---	---------